

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	609	"search engine" SAME ((knowledge OR information) ADJ (base OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 09:58
S2	172	"search engine" SAME ((knowledge OR information) ADJ (base OR database)) AND search AND random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 09:58
S3	609	"search engine" SAME ((knowledge OR information) ADJ (base OR database)) AND search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 09:59
S4	297	"search engine" SAME ((knowledge OR information) ADJ (base OR database)) AND category	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 09:59
S5	365	"search engine" SAME ((knowledge OR information) ADJ (base OR database)) AND (answer OR category)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 10:03
S6	73	"search engine" SAME (search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) AND (answer OR category)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 10:11
S7	142	"search engine" SAME (search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:24
S8	2328	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:24
S9	560	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) AND random\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:25

EAST Search History

S10	144	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) AND random\$2 AND probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:33
S11	1	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) SAME random\$2 SAME probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:25
S12	8	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) AND probability AND (random NOT access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:35
S13	22	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) AND (random NOT access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:36
S14	4	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) SAME (random NOT access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:36
S16	5	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) SAME (random\$3 NOT access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:06
S17	186	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) SAME (second\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 13:34
S18	23	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) WITH (second\$3 NEAR search\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 13:38
S19	852	random ADJ (search\$3 OR prob\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 15:44
S20	2	random ADJ (search\$3 OR prob\$3) SAME (knowledge OR information) ADJ (base OR database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 15:45

EAST Search History

S21	2	random ADJ (search\$3 OR prob\$3) SAME ((knowledge OR information) ADJ (base OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 15:47
S22	14	random ADJ probing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 15:45
S24	38	(random OR uniform) ADJ (search\$3 OR prob\$3) SAME (((knowledge OR information) ADJ (base OR database)) OR (database OR "ordered list"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 15:48
S25	32	((("5,377,103") or ("5,634,051") or ("5,717,914") or ("5,778,157") or ("5,933,827") or ("5,970,499") or ("5,995,955") or ("6,009,459") or ("6,029,165") or ("6,078,914") or ("6,086,617") or ("6,108,686") or ("6,167,370") or ("6,192,354") or ("6,199,081") or ("6,212,518"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 16:37
S26	14	S25 AND (random\$7 OR hash\$3 or prob\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 16:38
S27	11	S25 AND (random\$7 OR hash\$3 OR probe OR probing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 16:39
S28	6	S25 AND ((random\$7 NOT WITH memory) OR hash\$3 OR probe OR probing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/17 16:40
S29	12	(search\$3 NEAR2 ((knowledge OR information) ADJ (base OR database))) WITH probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:34
S33	15	Farrett NEAR2 Pete\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 16:24

EAST Search History

S34	601	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) WITH probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:43
S35	592	search\$3 NEAR2 database WITH probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:35
S36	554	(search\$3 NEAR2 database WITH probability) AND (answer OR category OR table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:36
S37	0	(search\$3 NEAR2 database WITH probability) SAME ((alternative OR second OR different) WITH (category OR answer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:39
S38	5	(search\$3 NEAR2 database WITH probability) SAME ((alternative OR second OR different) WITH (category OR answer OR match))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:40
S39	536	(search\$3 NEAR2 database WITH probability) AND table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:42
S40	229	(search\$3 NEAR2 database WITH probability) AND (search\$3 NEAR2 second OR alternative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 11:43
S41	1	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) WITH catagor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:46
S42	3	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) SAME catagor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:47
S43	114	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND catagor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:47

EAST Search History

S44	9033	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND ((alternate OR second OR different OR probability) WITH (catagory OR table OR answer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:49
S45	10820	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND ((alternate OR second OR different OR probability) WITH (category OR table OR answer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:49
S46	3988	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND ((alternate OR second OR different OR probability) NEAR2 (category OR table OR answer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:51
S47	136	probabalistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/24 15:58
S48	1	"match association table"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 11:23
S49	0	"catagory matching"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 11:34
S50	207	"category matching"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 11:34
S51	128	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND "category match"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:07
S52	14340	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND random AND table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:07

EAST Search History

S53	407	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND random AND (first NEAR2 categor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:08
S54	213	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND random AND (first ADJ categor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:08
S55	102	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND random AND probability AND (first ADJ categor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:11
S56	43870	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:12
S57	65	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND ("search history table" OR "answer association" OR "probability table")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:14
S58	3	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND "search history table"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:19
S59	21	search\$3 NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database) AND (categor\$4 ADJ association)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/25 14:22
S60	2	("5,675,786").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:32
S61	10	("5,642,502") or ("5,930,474") or ("5,682,525") or ("6,078,916") or ("5,832,497")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:18
S68	6	("6,510,406") or ("20020099696") or ("4,942,526")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:35

EAST Search History

S69	5964974	prob\$5 OR (random NEAR2 search\$3) OR (slic\$3 NEAR2 dic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 14:55
S70	417701	(probe OR probing) OR (random NEAR2 search\$3) OR (slic\$3 NEAR2 dic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 09:59
S71	7636	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) OR (random NEAR2 search\$3) OR (slic\$3 NEAR2 dic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 10:02
S72	7096	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) OR (random NEAR1 search\$3) OR (slic\$3 NEAR2 dic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 10:02
S73	4888	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 10:03
S74	2914	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) AND (random\$3 OR porbability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 14:53
S75	403	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) SAME (random\$3 OR probability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 10:58
S76	15	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) SAME (random\$3 OR probability) AND category WITH (association OR associated OR answer OR match OR matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:02
S80	25	Ciaccia NEAR et NEAR al	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 11:33

EAST Search History

S81	15	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) SAME (random\$3 OR probability) AND (category WITH (association OR associated OR answer OR match OR matching))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 14:47
S82	159	Chaudhuri AND Surajit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 14:52
S83	34	((probe OR probing OR hashing OR sampling) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) AND (random\$3 OR probability) AND (Histogram NOT sample\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 14:53
S84	127	random SAME category SAME match	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 16:33
S85	14	"search history table"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 16:41
S86	14	"random probing"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 16:46
S87	36199	table WITH (category OR answer OR match)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 16:47
S88	10823	table WITH categor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 16:47
S89	1015	(table WITH categor\$5) SAME search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/05/31 16:48

EAST Search History

S90	2	("5,642,502").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 08:17
S91	2	("5,576,934").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 08:17
S92	144	category association	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 09:37
S93	952	category table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 09:37
S94	29	probabilit\$3 NEAR2 table WITH categor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 13:54
S95	2	("20050234880").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 14:30
S96	0	(random NEAR3 prob\$3) SAME (((big OR large) (((knowledge OR information) ADJ (base OR database)) OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 14:40
S97	576	prob\$3 SAME ((big OR large) (((knowledge OR information) ADJ (base OR database)) OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 14:40
S98	20	S97 AND "703"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 14:41
S99	3575	((probe OR probing OR hashing) WITH (((knowledge OR information) ADJ (base OR database)) OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:03

EAST Search History

S10 0	27	((probe OR probing OR hashing) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) AND "703"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:18
S10 1	2	(random OR uniform) ADJ (search\$3 OR prob\$3) SAME ((knowledge OR information) ADJ (base OR database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:17
S10 2	242	((probe OR probing OR hashing) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) SAME (big OR large)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:19
S10 3	167	((probe OR probing) WITH (((knowledge OR information) ADJ (base OR database)) OR database)) SAME (big OR large)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:20
S10 4	13	((probe OR probing) WITH ((big OR large) NEAR2 (((knowledge OR information) ADJ (base OR database)) OR database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:22
S10 5	4418	random NEAR2 (prob\$3 OR hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:37
S10 6	96	random NEAR2 (prob\$3 OR hash\$3) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 15:23
S10 7	12	Rautenbach NEAR3 Keith	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/01 16:29
S10 8	1378	random NEAR2 (prob\$3 OR hash\$3) NOT (sample OR samples OR sampling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 10:53
S10 9	595	search WITH (large ADJ database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 10:55

EAST Search History

S11 0	56	(random NEAR2 (prob\$3 OR hash\$3) NOT (sample OR samples OR sampling)) AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 10:54
S11 1	277	search WITH (large ADJ database) AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 10:56
S11 2	336	search WITH (large ADJ database) NOT sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 10:56
S11 3	161	search WITH (large ADJ database) NOT sampl\$3 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 14:06
S11 4	47	random NEAR3 search NEAR3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/05 14:15
S11 5	3	random\$2 search\$3 database (find OR found) first (instance OR occurrence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/06/05 14:21
S11 6	118	search WITH random WITH location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/06 08:39
S11 7	9	(search WITH random WITH location) SAME database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/06 08:39
S11 8	102	(search WITH random WITH location) NOT access SAME database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/06 08:39
S11 9	0	((search WITH random WITH location) NOT access) SAME database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/06 08:39

EAST Search History

S12 0	3318	search WITH probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 13:59
S12 1	166	search WITH probability WITH (history OR table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 13:59
S12 2	30	search WITH probability WITH (history OR table) AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 14:14.
S12 3	3	("7107261").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 14:14
S12 4	2	("7079086").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 14:59
S12 5	23	FARRETT.INV.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 14:59
S12 6	726	determine WITH category WITH (search OR match)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 15:35
S12 7	55	determine WITH category WITH search WITH match	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 15:35
S12 8	32	(determine WITH category WITH search WITH match) AND "707"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 15:35
S12 9	15	random WITH search WITH category	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 16:03

EAST Search History

S13 0	4864	(alternative OR alternative OR related OR similar) NEAR2 (category OR categories)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 17:25
S13 1	866	(alternative OR alternative OR related OR similar) NEAR2 (category OR categories) AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 17:35
S13 2	224	(alternate answer) OR (alternative answer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 17:35
S13 3	55	(alternate answer) OR (alternative answer) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 17:38
S13 4	15	search ADJ second ADJ (category OR answer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/18 17:38
S13 5	139	"Amazon.com".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/25 14:43